

2.7

FUNCTIONS FROM IN-OUT TABLES

Definition: The following tables are called input-output tables, or in-out tables.

The number that is put in is x, and y is the number that comes out. Each table has a rule that allows you to get y from x. For example, the rule for the table in problem 1 is to get y, add three to x. We say that y can be written as a function of x: y = x + 3.

Definition: A *function* is a rule that assigns a single output to each input.

For each of the following problems:

- a. Copy the table.
- b. Describe the rule that allows you to get y from x.
- c. Use the rule to find the missing numbers. (In some cases, the missing numbers may be difficult to find; use trial and error and a calculator to make it easier.)
- d. Write y as a function of x.


1.		2.		3.	
x	у	x	у	X	у
-5	-2	7	3.8	5	20
7	10	10	6.8	3	12
5		0		1	
	-7		10		-1

4. 🖗		5. 🖗		6. 🖗	
x	у	x	у	x	у
7	40	3	8	5	15
1	16	4	13	2	-6
-2	4	1	-2	-1	-9
-5		7		6	
	-12		20		54

Functions and Function Diagrams

7. Exploration Find as many functions as possible that assign the y value 4 to the xvalue 1.

FUNCTION DIAGRAMS



The figure above shows a function diagram for this table.

x	у
2	0
5	6
8	12
11	18


61



8. What is the function illustrated in the previous function diagram?

For each function in problems 9-12:

- a. Make a table, using at least five in-out pairs.
- b. Make a function diagram, using the scale shown below.




9.
$$y = x + 2$$
 10. $y = x - 2$

11. y = 2x **12.** y = x/2

13. Make a function diagram for each of the tables in problems 1, 2, and 3. You will have to decide what scale to use on the *x*-and *y*-number lines. (For each problem, use the same scale on both number lines.)

Function diagrams are an important way of understanding functions. We will use them throughout this course.

I SEE WHERE YOU'RE COMING FROM



The following problems are about the above function diagram. Assume that more in-out lines could be added, following the same pattern.

- 14. Find the output when the input is:a. 0b. 5c. -5
- **15.** Find the output when the input is: a. 99 b. -100 c. 1000
- 16. Find the output when the input is:a. 1/2b. 1/3c. 1/6

For the following problem, you may need to use trial and error.

17. Find the input when the output is:

a.	0	b.	5	c.	-5
d.	99	e.	-100	f.	1000



UPS AND DOWNS

Each line in a function diagram connects an input point on the x-number line to its output point on the y-number line. We use the notation (x, y) to refer to such a line. Notice that in the previous diagram some of the lines go up, and some go down. For example: (5, 12) goes up, and (0, -3) goes down.

- **18.** If you were to draw additional lines in the function diagram, could you correctly draw one that goes neither up nor down? Where would it start?
- **19.** In describing the diagram, one might say 5 goes to 12, "moving" up 7 units. Which point "moves" down 5 units?

- **20.** Find a point that moves
 - a. up 3 units; b. down 3 units;
 - c. up 6 units; d. down 4 units.
- 21. Q Use trial and error to find a point that moves
 - a. up 99 units;
 - b. down 100 units.
- 22. \bigcirc Generalization If you know of a point that moves up *n* units in the previous diagram, how would you find a point that moves down *n* units? Write a full explanation.

AND A REAL MARKEN HARREN IN A

DISCOVERY) SURFACE AREA OF A BOX

The volume of a box is given by the formula $volume = length \cdot width \cdot height.$

23. Write the surface area of a box as a function of length, width, and height. Compare your function with the ones found by some of your classmates.